

福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果(毎日)
(東京電力ホールディングス㈱の発表をもとに作成※¹)
試料採取日: 令和8年8月7日、23日～29日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP (Daily)
(Based on the press release of TEPCO※¹)
Sampling Date: Aug 7, 23 – 29, 2026

令和8年9月1日
Sep 1, 2026

1. 採取場所T-1〔上層〕 Sampling Point T-1〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全β ^{※2} gross β	H-3
2026/7/29 6:55	< 0.62	< 0.69	6.6	< 0.34
2026/7/30 13:30	< 0.71	< 0.64	–	< 8.0
2026/7/31 6:40	< 0.72	< 0.71	–	–
2026/8/1 7:06	< 0.73	< 0.77	–	–
2026/8/2 7:48	< 0.75	< 0.65	–	–
2026/8/3 7:25	< 0.73	< 0.60	–	< 7.1
2026/8/4 7:07	< 0.72	< 0.72	–	< 8.8
2026/8/5 7:14	< 0.85	< 0.56	–	< 8.2
2026/8/6 8:10	< 0.65	< 0.66	–	< 9.4
2026/8/7 8:31	< 0.75	< 0.93	10	< 9.9
2026/8/7 8:31	–	–	–	< 0.36
2026/8/8 7:17	< 0.75	< 0.93	–	–
2026/8/9 7:05	< 0.93	< 0.78	–	–
2026/8/10 6:45	< 0.69	< 0.76	–	< 9.7
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13 7:50	< 0.56	< 0.65	–	< 8.4
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 6:53	< 0.73	< 0.80	–	–
2026/8/16 7:15	< 0.99	< 0.86	–	–
2026/8/17 6:45	< 0.90	< 0.51	12	< 7.3
2026/8/18 7:05	< 0.78	< 0.47	–	–
2026/8/19 7:15	< 0.65	< 0.79	–	–
2026/8/20 6:47	< 0.53	< 0.72	–	< 8.7
2026/8/21 7:40	< 0.78	< 0.55	–	–
2026/8/22 7:15	< 0.88	< 0.86	–	–
2026/8/23 6:41	< 0.75	< 0.77	–	–
2026/8/24 7:25	< 0.78	< 0.75	13	< 6.4
2026/8/25 7:03	< 0.65	< 0.79	–	–
2026/8/26 6:48	< 0.93	< 0.81	–	–
2026/8/27 7:05	< 0.72	< 0.66	–	–
2026/8/28 8:00	< 0.88	< 0.67	–	–
2026/8/29 7:03	< 0.60	< 0.64	–	–

* 太字下線データが今回追加分 * Boldface and underlined readings are new.

* 「< XX」は放射性物質濃度が検出下限値(XX)未満であることを表す。

* "< XX" means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度は URL を参照。(https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

※1 東京電力ホールディングス㈱の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)

※2 分析方法: 蒸発乾固法 ※2 Analytical method: Evaporation drying method

参考 reference

福島第一原発事故以前の海水のモニタリング結果:

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果(毎日)
(東京電力ホールディングス㈱の発表をもとに作成^{※1})
試料採取日: 令和8年8月7日、23日～29日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP (Daily)
(Based on the press release of TEPCO^{※1})
Sampling Date: Aug 7, 23 – 29, 2026

令和8年9月1日
Sep 1, 2026

2. 採取場所T-2^{※3}[上層] Sampling Point T-2^{※3}[Outer Layer]

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全 β ^{※2} gross β	H-3
2026/7/29 7:45	< 0.66	< 0.90	14	< 0.34
2026/7/30 13:33	< 0.84	< 0.66	6.4	< 8.0
2026/7/31 7:56	< 0.68	< 0.75	13	–
2026/8/1 8:36	< 0.73	0.87	8.1	–
2026/8/2 8:25	< 0.73	< 0.65	6.5	–
2026/8/3 9:03	< 0.75	< 0.74	10	< 7.2
2026/8/4	悪天候により採取中止 (No samples due to bad weather)			
2026/8/5	悪天候により採取中止 (No samples due to bad weather)			
2026/8/6 9:20	< 0.75	< 0.74	9.0	< 9.4
2026/8/7 8:55	< 0.89	< 0.71	6.6	< 9.9
2026/8/7 8:55	–	–	–	<u>< 0.37</u>
2026/8/8 8:40	< 0.82	< 0.53	9.9	–
2026/8/9 7:50	< 0.63	< 0.60	11	–
2026/8/10 8:50	< 0.82	< 0.79	7.1	< 9.7
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13 9:05	< 0.82	< 0.69	9.6	< 8.4
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 8:05	< 0.75	1.9	3.4	–
2026/8/16 8:03	< 0.65	0.63	6.1	–
2026/8/17 8:50	< 0.60	0.96	< 3.6	< 7.3
2026/8/18 9:30	< 0.79	< 0.64	9.4	–
2026/8/19 9:20	< 0.75	< 0.90	13	–
2026/8/20 9:11	< 0.78	< 0.55	9.6	< 8.7
2026/8/21 8:28	< 0.88	< 0.90	8.5	–
2026/8/22 8:40	< 0.75	< 0.97	9.9	–
2026/8/23 8:00	<u>< 0.85</u>	<u>< 0.70</u>	<u>8.6</u>	–
2026/8/24 6:23	<u>< 0.85</u>	<u>< 0.51</u>	<u>10</u>	<u>< 6.3</u>
2026/8/25 9:20	<u>< 0.95</u>	<u>< 0.60</u>	<u>13</u>	–
2026/8/26 9:05	<u>< 0.85</u>	<u>< 0.50</u>	<u>9.2</u>	–
2026/8/27 9:20	<u>< 0.82</u>	<u>< 0.78</u>	<u>14</u>	–
2026/8/28 9:07	<u>< 0.88</u>	<u>< 0.82</u>	<u>12</u>	–
2026/8/29 7:49	<u>< 0.62</u>	<u>< 0.65</u>	<u>8.6</u>	–

* 太字下線データが今回追加分 * Boldface and underlined readings are new.

* 「< XX」は放射性物質濃度が検出下限値(XX)未満であることを表す。

* "< XX" means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度は URL を参照。(https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

※1 東京電力ホールディングス㈱の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)

※2 分析方法: 蒸発乾固法 ※2 Analytical method: Evaporation drying method

※3 試料採取作業の安全確保のため、令和6年6月11日より採取場所を1～4号機放水口から南側に約1300mの地点に一時的に変更。

※3 Because of ensuring safety in sampling operation, sampling point has been moved to approximately 1300 m south from discharge outlet of Fukushima Dai-ichi NPP (unit 1 to 4) temporarily since Jun. 11, 2024.

参考 reference

福島第一原発事故以前の海水のモニタリング結果:

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果
(東京電力ホールディングス㈱の発表をもとに作成^{※1})
採取日: 令和8年7月20日、29日、8月23日、24日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP
(Based on the press release of TEPCO^{※1})
Sampling Date: Jul 20, 29, Aug 23, 24, 2026

令和8年9月1日
Sep 1, 2026

3. 採取場所T-0-1〔上層〕 Sampling Point T-0-1〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全 $\beta^{※2}$ gross β	H-3
2026/7/20 6:33	< 0.30	< 0.25	< 13	< 6.1
2026/7/20 6:33	—	—	—	< 0.37
2026/7/21 7:10	—	—	—	< 8.4
2026/7/22 6:24	—	—	—	< 6.8
2026/7/23 7:02	—	—	—	< 7.9
2026/7/24 6:25	—	—	—	< 8.6
2026/7/25 7:45	—	—	—	< 7.9
2026/7/26 7:44	—	—	—	< 6.8
2026/7/27	悪天候により採取中止 (No samples due to bad weather)			
2026/7/28 6:49	—	—	—	< 7.5
2026/7/29 8:51	< 0.34	< 0.30	< 14	< 8.2
2026/7/29 8:51	—	—	—	< 0.31
2026/7/30 13:42	—	—	—	< 7.3
2026/7/31 6:57	—	—	—	< 9.0
2026/8/1 8:03	—	—	—	< 7.7
2026/8/2	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/4	悪天候により採取中止 (No samples due to bad weather)			
2026/8/5	悪天候により採取中止 (No samples due to bad weather)			
2026/8/6	悪天候により採取中止 (No samples due to bad weather)			
2026/8/7	悪天候により採取中止 (No samples due to bad weather)			
2026/8/8 7:57	—	—	—	< 8.9
2026/8/9	悪天候により採取中止 (No samples due to bad weather)			
2026/8/10	悪天候により採取中止 (No samples due to bad weather)			
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13	悪天候により採取中止 (No samples due to bad weather)			
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 7:41	—	—	—	< 9.2
2026/8/16 7:15	—	—	—	< 6.4
2026/8/17 6:56	< 0.31	< 0.26	< 13	< 7.1
2026/8/18 7:15	—	—	—	< 7.4
2026/8/19 7:10	—	—	—	< 6.4
2026/8/20 6:46	—	—	—	< 8.7
2026/8/21 6:46	—	—	—	< 7.7
2026/8/22 7:28	—	—	—	< 9.9
2026/8/23 7:39	—	—	—	< 7.5
2026/8/24 6:58	< 0.36	< 0.39	13	< 7.6

4. 採取場所T-0-1A〔上層〕 Sampling Point T-0-1A〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全 $\beta^{※2}$ gross β	H-3
2026/7/20 6:49	< 0.34	< 0.31	< 13	< 6.0
2026/7/20 6:49	—	—	—	1.3
2026/7/21 7:14	—	—	—	< 5.0
2026/7/22 6:28	—	—	—	< 6.3
2026/7/23 7:16	—	—	—	< 7.9
2026/7/24 6:29	—	—	—	< 9.7
2026/7/25 7:49	—	—	—	< 6.8
2026/7/26 7:48	—	—	—	< 6.7
2026/7/27	悪天候により採取中止 (No samples due to bad weather)			
2026/7/28 7:04	—	—	—	< 7.3
2026/7/29 8:45	< 0.28	< 0.32	15	< 8.2
2026/7/29 8:45	—	—	—	< 0.31
2026/7/30 13:47	—	—	—	< 7.4
2026/7/31 7:13	—	—	—	< 8.8
2026/8/1 8:06	—	—	—	< 9.0
2026/8/2	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/4	悪天候により採取中止 (No samples due to bad weather)			
2026/8/5	悪天候により採取中止 (No samples due to bad weather)			
2026/8/6	悪天候により採取中止 (No samples due to bad weather)			
2026/8/7	悪天候により採取中止 (No samples due to bad weather)			
2026/8/8 8:09	—	—	—	< 8.9
2026/8/9	悪天候により採取中止 (No samples due to bad weather)			
2026/8/10	悪天候により採取中止 (No samples due to bad weather)			
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13	悪天候により採取中止 (No samples due to bad weather)			
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 7:55	—	—	—	< 9.0
2026/8/16 7:19	—	—	—	< 6.4
2026/8/17 7:14	< 0.32	< 0.27	< 13	< 7.1
2026/8/18 7:18	—	—	—	< 7.4
2026/8/19 7:13	—	—	—	< 6.5
2026/8/20 7:01	—	—	—	< 9.3
2026/8/21 6:50	—	—	—	< 7.7
2026/8/22 7:31	—	—	—	< 7.9
2026/8/23 7:43	—	—	—	< 9.0
2026/8/24 7:20	< 0.37	< 0.30	< 12	< 7.6

5. 採取場所 T-0-2〔上層〕 Sampling Point T-0-2〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全 β^{*2} gross β	H-3
2026/7/20 7:51	< 0.30	< 0.32	18	< 6.0
2026/7/20 7:51	—	—	—	< 0.33
2026/7/21 7:22	—	—	—	< 8.4
2026/7/22 6:35	—	—	—	< 6.8
2026/7/23 7:46	—	—	—	< 7.9
2026/7/24 6:38	—	—	—	< 8.6
2026/7/25 7:56	—	—	—	< 7.4
2026/7/26 7:56	—	—	—	< 6.7
2026/7/27	悪天候により採取中止 (No samples due to bad weather)			
2026/7/28 7:31	—	—	—	< 7.6
2026/7/29 8:17	< 0.34	< 0.29	< 14	< 8.2
2026/7/29 8:17	—	—	—	< 0.33
2026/7/30 13:56	—	—	—	< 7.4
2026/7/31 7:42	—	—	—	< 9.0
2026/8/1 8:16	—	—	—	< 7.8
2026/8/2	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/4	悪天候により採取中止 (No samples due to bad weather)			
2026/8/5	悪天候により採取中止 (No samples due to bad weather)			
2026/8/6	悪天候により採取中止 (No samples due to bad weather)			
2026/8/7	悪天候により採取中止 (No samples due to bad weather)			
2026/8/8 8:42	—	—	—	< 8.8
2026/8/9	悪天候により採取中止 (No samples due to bad weather)			
2026/8/10	悪天候により採取中止 (No samples due to bad weather)			
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13	悪天候により採取中止 (No samples due to bad weather)			
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 8:28	—	—	—	< 9.3
2026/8/16 7:27	—	—	—	< 6.4
2026/8/17 8:17	< 0.26	< 0.37	< 13	< 7.1
2026/8/18 7:25	—	—	—	< 7.4
2026/8/19 7:19	—	—	—	< 6.4
2026/8/20 7:29	—	—	—	< 9.2
2026/8/21 6:59	—	—	—	< 7.7
2026/8/22 7:37	—	—	—	< 9.9
2026/8/23 7:50	—	—	—	< 7.5
2026/8/24 8:28	< 0.34	< 0.30	18	< 7.6

6. 採取場所 T-0-3A〔上層〕 Sampling Point T-0-3A〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全 β^{*2} gross β	H-3
2026/7/20 7:45	< 0.33	< 0.34	< 13	< 7.5
2026/7/20 7:45	—	—	—	< 0.32
2026/7/23 7:40	—	—	—	< 5.9
2026/7/27	悪天候により採取中止 (No samples due to bad weather)			
2026/7/28 7:25	—	—	—	< 7.3
2026/7/29 8:10	< 0.30	< 0.29	< 13	—
2026/7/29 8:10	—	—	—	< 0.31
2026/7/31 7:36	—	—	—	< 8.3
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/4	悪天候により採取中止 (No samples due to bad weather)			
2026/8/5	悪天候により採取中止 (No samples due to bad weather)			
2026/8/6	悪天候により採取中止 (No samples due to bad weather)			
2026/8/7	悪天候により採取中止 (No samples due to bad weather)			
2026/8/8 8:37	—	—	—	< 7.0
2026/8/10	悪天候により採取中止 (No samples due to bad weather)			
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13	悪天候により採取中止 (No samples due to bad weather)			
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 8:20	—	—	—	< 8.9
2026/8/17 8:10	< 0.35	< 0.30	16	< 6.1
2026/8/20 7:25	—	—	—	< 9.1
2026/8/24 8:19	< 0.34	< 0.31	< 12	< 7.6

7. 採取場所T-0-3〔上層〕 Sampling Point T-0-3〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度 (Bq/L) Radioactivity concentration (Bq/L)			
	Cs-134	Cs-137	全 β ^{※2} gross β	H-3
2026/7/20 7:39	< 0.39	< 0.31	< 13	< 6.0
2026/7/20 7:39	—	—	—	< 0.32
2026/7/23 7:36	—	—	—	< 7.9
2026/7/27	悪天候により採取中止 (No samples due to bad weather)			
2026/7/28 7:22	—	—	—	< 7.6
2026/7/29 8:04	< 0.25	< 0.29	< 14	—
2026/7/29 8:04	—	—	—	< 0.31
2026/7/31 7:32	—	—	—	< 8.8
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)			
2026/8/4	悪天候により採取中止 (No samples due to bad weather)			
2026/8/5	悪天候により採取中止 (No samples due to bad weather)			
2026/8/6	悪天候により採取中止 (No samples due to bad weather)			
2026/8/7	悪天候により採取中止 (No samples due to bad weather)			
2026/8/8 8:34	—	—	—	< 8.9
2026/8/10	悪天候により採取中止 (No samples due to bad weather)			
2026/8/11	悪天候により採取中止 (No samples due to bad weather)			
2026/8/12	悪天候により採取中止 (No samples due to bad weather)			
2026/8/13	悪天候により採取中止 (No samples due to bad weather)			
2026/8/14	悪天候により採取中止 (No samples due to bad weather)			
2026/8/15 8:23	—	—	—	< 9.0
2026/8/17 8:06	< 0.39	< 0.26	< 13	< 7.1
2026/8/20 7:21	—	—	—	< 9.1
2026/8/24 8:12	< 0.37	< 0.35	13	< 7.6

* 太字下線データが今回追加分 * Boldface and underlined readings are new.

* 「< XX」は放射性物質濃度が検出下限値 (XX) 未満であることを表す。

* "< XX" means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度は URL を参照。(https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

※1 東京電力ホールディングス㈱の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)

※2 分析方法：蒸発乾固法 ※2 Analytical method: Evaporation drying method

参考 reference

福島第一原発事故以前の海水のモニタリング結果：

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

福島第一原子力発電所近傍海域の海水の放射性物質濃度測定結果
 (東京電力ホールディングス㈱の発表をもとに作成^{※1})
 採取日: 令和8年7月13日、20日、29日、8月23日、24日

Radioactivity concentration in the seawater near Fukushima Dai-ichi NPP
 (Based on the press release of TEPCO^{※1})
 Sampling Date: Jul 13, 20, 29, Aug 23, 24, 2026

令和8年9月1日
 Sep 1, 2026

8. 採取場所T-A1〔上層〕 Sampling Point T-A1〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)		
	Cs-134	Cs-137	H-3
2026/7/13 6:33	< 0.35	< 0.37	< 5.8
2026/7/13 6:33	-	-	0.13
2026/7/16 6:30	-	-	< 6.2
2026/7/20 6:42	< 0.34	< 0.38	< 7.5
2026/7/20 6:42	-	-	0.73
2026/7/23 7:09	-	-	< 5.9
2026/7/27	悪天候により採取中止 (No samples due to bad weather)		
2026/7/28 6:58	-	-	< 7.8
2026/7/29 8:34	< 0.32	< 0.26	-
2026/7/29 8:34	-	-	< 0.37
2026/7/31 7:05	-	-	< 8.4
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)		
2026/8/4	悪天候により採取中止 (No samples due to bad weather)		
2026/8/5	悪天候により採取中止 (No samples due to bad weather)		
2026/8/6	悪天候により採取中止 (No samples due to bad weather)		
2026/8/7	悪天候により採取中止 (No samples due to bad weather)		
2026/8/8 8:03	-	-	< 7.0
2026/8/10	悪天候により採取中止 (No samples due to bad weather)		
2026/8/11	悪天候により採取中止 (No samples due to bad weather)		
2026/8/12	悪天候により採取中止 (No samples due to bad weather)		
2026/8/13	悪天候により採取中止 (No samples due to bad weather)		
2026/8/14	悪天候により採取中止 (No samples due to bad weather)		
2026/8/15 7:49	-	-	< 6.9
2026/8/17 7:06	< 0.37	< 0.32	< 6.2
2026/8/20 6:54	-	-	< 9.0
2026/8/24 7:11	< 0.28	< 0.31	< 7.6

9. 採取場所T-A2〔上層〕 Sampling Point T-A2〔Outer Layer〕

採取日時 Sampling Time and Date	放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)		
	Cs-134	Cs-137	H-3
2026/7/13 6:45	< 0.31	< 0.28	< 5.8
2026/7/13 6:45	-	-	0.55
2026/7/14 6:46	-	-	< 8.3
2026/7/15 6:23	-	-	< 7.6
2026/7/16 6:39	-	-	< 6.1
2026/7/17	悪天候により採取中止 (No samples due to bad weather)		
2026/7/18	悪天候により採取中止 (No samples due to bad weather)		
2026/7/19 7:33	-	-	< 7.6
2026/7/20 6:55	< 0.31	< 0.31	< 7.5
2026/7/20 6:55	-	-	0.41
2026/7/21 7:18	-	-	< 5.0
2026/7/22 6:31	-	-	< 6.3
2026/7/23 7:21	-	-	< 5.9
2026/7/24 6:34	-	-	< 9.8
2026/7/25 7:53	-	-	< 7.2
2026/7/26 7:52	-	-	< 6.7
2026/7/27	悪天候により採取中止 (No samples due to bad weather)		
2026/7/28 7:09	-	-	< 7.9
2026/7/29 8:22	< 0.35	< 0.26	< 6.4
2026/7/29 8:22	-	-	< 0.37
2026/7/30 13:52	-	-	< 7.4
2026/7/31 7:17	-	-	< 8.5
2026/8/1 8:11	-	-	< 9.1
2026/8/2	船舶の不具合のため採取中止 (No sampling due to vessel failure.)		
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)		
2026/8/4	悪天候により採取中止 (No samples due to bad weather)		
2026/8/5	悪天候により採取中止 (No samples due to bad weather)		
2026/8/6	悪天候により採取中止 (No samples due to bad weather)		
2026/8/7	悪天候により採取中止 (No samples due to bad weather)		
2026/8/8 8:13	-	-	< 6.9
2026/8/9	悪天候により採取中止 (No samples due to bad weather)		
2026/8/10	悪天候により採取中止 (No samples due to bad weather)		
2026/8/11	悪天候により採取中止 (No samples due to bad weather)		
2026/8/12	悪天候により採取中止 (No samples due to bad weather)		
2026/8/13	悪天候により採取中止 (No samples due to bad weather)		
2026/8/14	悪天候により採取中止 (No samples due to bad weather)		
2026/8/15 7:59	-	-	< 6.9
2026/8/16 7:23	-	-	< 7.4
2026/8/17 7:20	< 0.39	< 0.35	< 6.0
2026/8/18 7:22	-	-	< 7.4
2026/8/19 7:16	-	-	< 6.4
2026/8/20 7:06	-	-	< 8.9
2026/8/21 6:54	-	-	< 7.7
2026/8/22 7:34	-	-	< 10
2026/8/23 7:47	-	-	< 9.0
2026/8/24 7:28	< 0.35	< 0.30	< 7.6

10. 採取場所T-A3[上層] Sampling Point T-A3[Outer Layer]

採取日時 Sampling Time and Date	放射性物質濃度(Bq/L) Radioactivity concentration (Bq/L)		
	Cs-134	Cs-137	H-3
2026/7/13 7:17	< 0.35	< 0.33	< 5.8
2026/7/13 7:17	—	—	1.7
2026/7/16 6:48	—	—	< 6.1
2026/7/20 7:32	< 0.33	< 0.29	< 7.5
2026/7/20 7:32	—	—	< 0.36
2026/7/23 7:30	—	—	< 5.9
2026/7/27	悪天候により採取中止 (No samples due to bad weather)		
2026/7/28 7:17	—	—	< 7.9
2026/7/29 7:55	< 0.34	< 0.33	—
2026/7/29 7:55	—	—	< 0.37
2026/7/31 7:26	—	—	< 9.5
2026/8/3	船舶の不具合のため採取中止 (No sampling due to vessel failure.)		
2026/8/4	悪天候により採取中止 (No samples due to bad weather)		
2026/8/5	悪天候により採取中止 (No samples due to bad weather)		
2026/8/6	悪天候により採取中止 (No samples due to bad weather)		
2026/8/7	悪天候により採取中止 (No samples due to bad weather)		
2026/8/8 8:29	—	—	< 9.7
2026/8/10	悪天候により採取中止 (No samples due to bad weather)		
2026/8/11	悪天候により採取中止 (No samples due to bad weather)		
2026/8/12	悪天候により採取中止 (No samples due to bad weather)		
2026/8/13	悪天候により採取中止 (No samples due to bad weather)		
2026/8/14	悪天候により採取中止 (No samples due to bad weather)		
2026/8/15 8:16	—	—	< 6.9
2026/8/17 7:58	< 0.34	< 0.30	< 6.1
2026/8/20 7:15	—	—	< 8.9
2026/8/24 8:03	< 0.37	< 0.29	< 7.6

* 太字下線データが今回追加分 * Boldface and underlined readings are new.

* 「< XX」は放射性物質濃度が検出下限値(XX)未満であることを表す。

* "< XX" means that radioactivity concentration is lower than the detection limit XX.

* 採取場所の緯度経度は URL を参照。(https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

* Refer to the URL for the latitude and longitude of the sampling points. (https://radioactivity.nra.go.jp/ja/results/sea/monitoring-coordinates/R6)

※1 東京電力ホールディングス株の発表 (https://www.tepco.co.jp/decommission/data/analysis/index-j.html)

※1 Press release of TEPCO (https://www.tepco.co.jp/en/nu/fukushima-np/f1/smp/index-e.html)

参考 reference


福島第一原発事故以前の海水のモニタリング結果:

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

Results of radiation monitoring before the accident at TEPCO's Fukushima Daiichi Nuclear Power Station.

(https://radioactivity.nra.go.jp/cont/ja/results/sea/Beforedisaster.pdf)

福島第一原子力発電所近傍海域の海水採取ポイント
(Seawater sampling points near Fukushima Dai-ichi NPP)



* 図中の × は東京電力ホールディングス(株)福島第一原子力発電所

*The mark × indicates the location of TEPCO Fukushima Dai-ichi NPP